

SINCE 1981



REPLACEMENT SPARES IN ALLOY STEEL

ADVANCE TECHNOLOGY
LONG LASTING PERFORMANCE



An ISO 9001:2000 Certified Co.

E-mail : info@gmtspares.com www.gmtspares.com



AN ISO 9001:2000 CERTIFIED CO.

NUT-BOLT-STUD & SPARES

(In Alloy Steel)

Suitable for :-

TATA ★ LEYLAND ★ TRACTOR
TROLLEY ★ JEEP ★ LCV'S ★ JCB

FORWARD

Dear Customers,

As the new seasons rolls in, we at **Great India Machine Tools** give sincere gratitude to our worthy customers for keeping their faith in GMT quality products & thus helping us scale new heights since its inception in 1980. Your co-operation, encouragement & overwhelming response has enabled us to maintain our quality & keep sale rates at most competitive level.

We are planning to start production of new range in Tractor & JCB Parts in near future so that it help you to give hold over other offerings in the market.

We strongly believe in long term business relations and that's why we follow fair dealing practices, the ever growing market for GMT is an evidence of it.

Above all other factors, we acknowledge invaluable contributions of our customers.

With regards

Yours Faithfully

For Great India Machine Tools



INDEX

Sr. No.	PARTICULARS	PAGE
1.	TATA SPARES	1 - 3
2.	SHAFT BOLT / NUT BOLT M10 - M8 - M6	3 - 4
3.	LVC'S SPARES - TATA 407, 608, 709 & ACE ETC.	5
4.	DODGE TIMKEN / CHEVROLET SPARES	5
5.	LEYLAND SPARES	6
6.	HUB BOLTS (WHEEL BOLT) & HUB NUTS TATA / LEYLAND /LVC'S	7 - 8
7.	TIE ROD KIT & JCB SPARES / TRACK SHOE BOLTS	8
8.	CENTER BOLTS - TATA/EICHER/407/JEEP F.C. ETC.	9 - 10
9.	WHEEL SPANNERS	11
10.	SPRING SHACKLE PINS / BELL CRANK PINS	12
11.	WASHER (HUB BOLT/ 'U' BOLT / FOUNDATION / SPRING PIN)	12 - 14
12.	PINION NUT / MAIN SHAFT NUT / AXLE CHECKNUT ETC.	14 - 15
13.	SPRING SHACKLE BUSHES	15
14.	JEEP SPARES	16
15.	TRACTOR & TROLLEY SPARES (HUB BOLT)	17
16.	TRACTOR & TROLLEY SPARES (WHEEL BOLT/AXLE BOLT)	18
17.	TRACTOR & TROLLEY SPARES (MAKHI BOLT /TILLER TYNE)	19
18.	TRACTOR & TROLLEY SPARES (PLOUGH BOLT/HITCH STUDS, HITCH BOLT)	20
19.	TRACTOR & TROLLEY SPARES (ROTAVATOR & MISC BOLTS)	21
20.	TRACTOR & TROLLEY SPARES (SHOVEL BOLT / PHALA BOLT)	21
21.	GENERAL BOLTS (U.N.C. / B.S.F. / MM BOLTS)	22 - 24
22.	HUB NUT FOR TRACTOR / TROLLEY	24
23.	SPARE NUTS	25 - 26
24.	COTTER PIN / SPLIT PIN & GREASE NIPPLE	27



S. No.	PARTICULARS		SIZE
G-1101	Front Hanger Bolt	With Plain Nut	1/2X1.1/4" B.S.F
G-1101A	Front Hanger Bolt	With Nylock Nut	1/2x1.1/4" B.S.F
G-1102	Front Hanger Bolt	With Plain Nut	1/2 X1.1/2" B.S.F
G-1103	Front Hanger Bolt	With Plain Nut	1/2 X1.3/4" B.S.F
G-1104	Front Hanger Bolt	With Plain Nut	1/2 X 2" B.S.F
G-1105	Front Hanger Bolt	With Plain Nut	1/2 X 2.1/2" B.S.F
G-1106	Front Hanger Bolt	With Plain Nut	1/2 X 3" B.S.F
G-1107	Rear Hanger Bolt	With Plain Nut	M 14X1.5X35
G-1107A	Rear hanger Bolt	With Nylock Nut	M 14X1.5X35
G-1108	Rear Hanger Bolt	With Plain Nut	M 14x1.5x40
G-1108A	Rear Hanger Bolt	With Nylock Nut	M 14x1.5x40
G-1108B	Rear Hanger Bolt	Without Nut	M 14x1.5x40
G-1109	Rear Hanger Bolt	With Plain Nut	M 14X1.5X45
G-1110	Rear Hanger Bolt	With Plain Nut	M 14X1.5X50
G-1110A	Rear Hanger Bolt	With Nylock Nut	M 14X1.5X50
G-1111	Rear Hanger Bolt	With Plain Nut	M 14X1.5X55
G-1112	Rear Hanger Bolt	With Plain Nut	M 14X1.5X60
G-1113	Rear Hanger Bolt	With Plain Nut	M 14X1.5X65
G-1114	Rear Hanger Bolt	With Plain Nut	M 14X1.5X70
G-1115	Rear Hanger Bolt	With Plain Nut	M 14X1.5X75
G-1116	Front Hanger Bolt 2416	With Plain Nut	M 16X1.5X50
G-1117	Front Hanger Bolt 2416	With Plain Nut	M 16X1.5X55
G-1118	Rear Hanger Bolt 2416	With Plain Nut	M 16X1.5X60
G-1119	Rear Hanger Bolt 2416	With Plain Nut	M 16X1.5X65
G-1120	Rear Hanger Bolt 2416	With Plain Nut	M 16X1.5X75
G-1121	Rear Foundation Bolt 1210	Without Nut	M 12x1.5x30
G-1122	Rear Foundation Bolt SE	Without Nut	M 12x1.5x40
G-1122A	Rear Foundation Bolt SE	Without Nut	M 12X1.5X45
G-1123	Front Foundation Bolt 1210	Without Nut	M 14X1.5X45
G-1124	Front Foundation Bolt SE	Without Nut	M 14X1.5X50
G-1125	Rear Foundation Bolt 2416	Without Nut	M 16X1.5X50
G-1126	Front Foundation Bolt 2416	Without Nut	M 16X1.5X60
G-1127	Front Foundation Bolt 2416	Without Nut	M 16X1.5X75
G-1128	Engine Mounting Bolt 1210 Front	With Castle Nut	M 14x1.5x65
G-1129	Engine Mounting Bolt SE Front	With Castle Nut	M 14x1.5x75
G-1130	Engine Mounting Bolt 1210 Rear	With Castle Nut	M 14x1.5x95
G-1131	Engine Mounting Bolt SE Rear	With Castle Nut	M 14x1.5x105
G-1132	Third Arm Bolt O/M	With Castle Nut	M 14X1.5X110
G-1132A	Third Arm Bolt	With N/N Nut	M 14X1.5X110
G-1133	Third Arm Bolt 1612 (Small)	With Castle Nut	M 16X1.5X133
G-1134	Third Arm Bolt 1210 (Big)	With Castle Nut	M 16X1.5X138
G-1135	Third Arm Bolt SE (Big)	With Castle Nut	M 16X1.5X144
G-1136	Third Arm Bolt 1612 (Medium)	With Castle Nut	M 16X1.5X150
G-1137	Third Arm Bolt 1312 (Medium)	With Castle Nut	M 16X1.5X165



S. No.	PARTICULARS		SIZE
G-1138	Third Arm Bolt 1312 (Big)	With Castle Nut	M 16X1.5X174
G-1139	Third Arm Bolt 1612 (Big)	With Slotted Nut	M 16X1.5X182
G-1139A	Third Arm Bolt	With Slotted Nut	M 16X1.5X200
G-1139B	Third Arm Bolt	With Slotted Nut	M 16X1.5X220
G-1140	Steering Bolt 1210 (Small) (Temp)	With Castle Nut	M 12X1.5X58
G-1141	Steering Bolt 12010 (Big) (Temp)	With Castle Nut	M 12X1.5X130
G-1142	Steering Bolt SE (Small) (Temp)	With Castle Nut	M 12X1.5X135
G-1143	Steering Bolt SE (Small) (Temp)	With Castle Nut	M 12X1.5X138
G-1144	Steering Bolt SE (Big) (Temp)	With Castle Nut	M 12X1.5X145
G-1145	Stepney Bolt TATA	With Plain Nut	M 18X2.5X50
G-1146	Stepney Bolt SE	With Plain Nut	M 18X2.5X60
G-1147	Gear Box Bolt 1210	Without Nut	M 14X2.0X40
G-1148	Gear Box Bolt SE	Without Nut	M 14X2.0X50
G-1149	Tawa Bolt	With Castle Nut	M 12X1.5X30
G-1150	Tawa Bolt	With Castle Nut	M 12X1.5X35
G-1151	Tawa Bolt	With Castle Nut	M 12X1.5X40
G-1152	Tawa Bolt	With Castle Nut	M 12X1.5X45
G-1153	Tawa Bolt	With Castle Nut	M 12X1.5X50
G-1154	Tawa Bolt	With Castle Nut	M 12X1.5X60
G-1155	Tawa Bolt	With Castle Nut	M 12X1.5X75
G-1159	Clutch Housing Bolt (Small)	Without Nut	M 12X1.75X35
G-1160	Clutch Housing Bolt (Medium)	Without Nut	M 12X1.75X40
G-1161	Clutch Housing Bolt (Big)	Without Nut	M 12X1.75X85
G-1162	Clutch Housing Bolt SE (Big)	Without Nut	M 12X1.75X125
G-1162A	Clutch Housing Bolt SE (Big)	With Plain Nut	M 12X1.75X125
G-1163	Clamp Bolt TATA (Black)	With Plain Nut	5/16X4"
G-1164	Clamp Bolt TATA (Black)	With Plain Nut	3/8 X 4" B.S.F.
G-1165	Clamp Bolt TATA (Golden/Green Zinc)	With Plain Nut	3/8 X 4" B.S.F.
G-1166	Clamp Bolt TATA (Black)	With Plain Nut	M 12X1.75X100
G-1167	Clamp Bolt TATA (Golden/Green Zinc)	With Plain Nut	M 12X1.75X100
G-1168	Clamp Bolt TATA (Black)	With Nylock Nut	M 12X1.75X100
G-1169	Clamp Bolt TATA (Golden/Green Zinc)	With Nylock Nut	M 12X1.75X100
G-1170	Clamp Bolt TATA (Black)	With Plain Nut	M 12X1.75X110
G-1171	Clamp Bolt TATA (Golden/Green Zinc)	With Plain Nut	M 12X1.75X110
G-1172	Clamp Bolt TATA (Black)	With Nylock Nut	M 12X1.75X110
G-1173	Clamp Bolt TATA (Golden/Green Zinc)	With Nylock Nut	M 12X1.75X110
G-1174	Clamp Bolt TATA (Black)	With Plain Nut	1/2 X 4" B.S.F.
G-1175	Clamp Bolt TATA (Golden/Green Zinc)	With Plain Nut	1/2 X 4" B.S.F.
G-1176	Clamp Bolt TATA (Black)	With Nylock Nut	1/2 X 4" B.S.F.
G-1177	Clamp Bolt TATA (Golden/Green Zinc)	With Nylock Nut	1/2 X 4" B.S.F.
G-1178	Cotter Pin TATA (D-Model) STD.	With Nylock Nut	M 10X1.5X90
G-1179	Cotter Pin TATA (D-Model) O/S Nurlled	With Nylock Nut	M 10X1.5X90



S. No.	PARTICULARS		SIZE
G-1180	Cotter Pin TATA 2416 STD. .	With Nylock Nut	M 10X1.5X95
G-1181	Cotter Pin TATA 2416 O/S Nurlcd	With Nylock Nut	M 10X1.5X95
G-1182	CROWN WHEEL Bolt TATA (Temp)	Without Nut	M 14X1.5X30
G-1183	CROWN WHEEL Bolt TATA (Temp)	Without Nut	M 14X1.5X35
G-1184	CROWN WHEEL Bolt TATA (Temp)	Without Nut	M 14X1.5X50
G-1188	SHOCKER Bolt TATA	With Castle Nut	M 16x1.5x120
G-1189	CABIN MOUNTING Bolt TATA	With Plain Nut	M 12X1.5X65
G-1190	ALTERNATOR Bolt TATA	With Nylock Nut	M 12X1.5X110
G-1191	STEERING CROSS Bolt TATA	Without Nut	M 10.4X35
G-1192	FLY WHEEL Bolt TATA	Without Nut	M 12X1.5X28
G-1193	Self Stud TATA 1612	With Plain Nut	M 10X1.5X40
G-1194	Self Stud TATA 1210	With Plain Nut	M 10X1.5X50
G-1195	Self Stud TATA 1210	With Plain Nut	M 10X1.5X60
G-1196	Self Stud TATA SE	With Plain Nut	M 10X1.5X70
G-1196A	Self Stud TATA 2416	With Plain Nut	M 10X1.5X85
G-1197	Tube Stud TATA SE (Small)	With Plain Nut	M 12X1.75X57
G-1198	Tube Stud TATA SE (Medium)	With Plain Nut	M 12X1.75X70
G-1199	Tube Stud TATA SE (Big)	With Plain Nut	M 12X1.75X98
G-1200	Axle Stud TATA 1210 STD.	With Plain Nut	M 12X12X65
G-1201	Axle Stud TATA 1210 Ist O/S	With Plain Nut	M 12X1/2X65
G-1202	Axle Stud TATA 1210 IInd O/S	With Plain Nut	M 12X9/16X65
G-1203	Axle Stud TATA 1210 Illrd O/S	With Plain Nut	M 12X5/8X65
G-1204	Rear Axle Check Nut Lock Bolt TC		

SHAFT BOLT 10MM

G-1211	Shaft Bolt TATA (Full Thread)	With Plain Nut	M 10X1.5X25
G-1212	Shaft Bolt TATA (Half Thread)	With Plain Nut	M 10X1.0X30
G-1213	Shaft Bolt TATA (Half Thread)	With Nylock Nut	M 10X1.0X30
G-1214	Shaft Bolt TATA (Half Thread)	Without Nut	M 10X1.5X30
G-1215	Shaft Bolt TATA (Half Thread)	With Plain Nut	M 10X1.5X30
G-1216	Shaft Bolt TATA (Half Thread)	With Nylock Nut	M 10X1.5X30
G-1217	Shaft Bolt TATA (Half Thread)	With Plain Nut	M 10X1.5X35
G-1218	Shaft Bolt TATA (Half Thread)	With Nylock Nut	M 10X1.5X35
G-1219	Shaft Bolt TATA (Half Thread)	With Plain Nut	M 10X1.5X40
G-1220	Shaft Bolt TATA (Half Thread)	With Nylock Nut	M 10X1.5X40
G-1221	Shaft Bolt TATA (Half Thread)	With Plain Nut	M 10X1.5X45
G-1222	Shaft Bolt TATA (Half Thread)	With Nylock Nut	M 10X1.5X45
G-1223	Shaft Bolt TATA (Half Thread)	With Plain Nut	M 10X1.5X50
G-1224	Shaft Bolt TATA (Half Thread)	With Nylock Nut	M 10X1.5X50
G-1225	Shaft Bolt TATA (Half Thread)	With Plain Nut	M 10X1.5X60
G-1226	Shaft Bolt TATA (Half Thread)	With Nylock Nut	M 10X1.5X60
G-1227	Shaft Bolt TATA (Half Thread)	With Plain Nut	M 10X1.5X65

100% Tested & Certified



SHAFT BOLT 10mm

S. No.	PARTICULARS			SIZE
G-1228	Shaft Bolt TATA	(Half Thread)	With Nylock Nut	M 10X1.5X65
G-1228A	Shaft Bolt TATA	(Half Thread)	With Plain Nut	M 10X1.5X70
G-1229	Shaft Bolt TATA	(Half Thread)	With Plain Nut	M 10X1.5X75
G-1229A	Shaft Bolt TATA	(Half Thread)	With Plain Nut	M 10X1.5X80
G-1230	Shaft Bolt TATA	(Half Thread)	With Plain Nut	M 10X1.5X85
G-1230A	Shaft Bolt TATA	(Half Thread)	With Nylock Nut	M 10X1.5X85
G-1231	Shaft Bolt TATA	(Half Thread)	With Plain Nut	M 10X1.5X100
G-1232	Shaft Bolt TATA	(Half Thread)	With Plain Nut	M 10X1.5X110
G-1233	Shaft Bolt TATA	(Half Thread)	With Plain Nut	M 10X1.5X125
G-1234	Shaft Bolt TATA	(Half Thread)	With Plain Nut	M 10X1.5X150
G-1235	Shaft Bolt TATA	(Half Thread)	With Nylock Nut	M 10X1.5X75

BOLT WITH NUT 8mm, 6mm

G-1241	Cotter Patti Bolt TATA	(Full Thread)	Without Nut	M 8x18
G-1242	Cotter Patti Bolt TATA	(Full Thread)	Without Nut	M 8x20
G-1243	8 MM Bolt	(Full Thread)	With Plain Nut	M 8x25
G-1244	8 MM Bolt	(Full Thread)	With Plain Nut	M 8X30
G-1245	8 MM Bolt	(Full Thread)	With Plain Nut	M 8X35
G-1246	8 MM Bolt	(Full Thread)	With Plain Nut	M 8X40
G-1247	8 MM Bolt	(Full Thread)	With Plain Nut	M 8X45
G-1248	8 MM Bolt	(Full Thread)	With Plain Nut	M 8X50
G-1249	8 MM Bolt	(Half Thread)	With Plain Nut	M 8X60
G-1250	8 MM Bolt	(Half Thread)	With Plain Nut	M 8X70
G-1251	8 MM Bolt	(Half Thread)	With Plain Nut	M 8X75
G-1252	8 MM Bolt	(Half Thread)	With Plain Nut	M 8X80
G-1253	8 MM Bolt	(Half Thread)	With Plain Nut	M 8X90
G-1254	8 MM Bolt	(Half Thread)	With Plain Nut	M 8X100
G-1255	8 MM Bolt	(Half Thread)	With Plain Nut	M 8X110
G-1256	8 MM Bolt	(Half Thread)	With Plain Nut	M 8X125
G-1261	6 MM Bolt	(Full Thread)	With Plain Nut	M 6X12
G-1262	6 MM Bolt	(Full Thread)	With Plain Nut	M 6X15
G-1263	6 MM Bolt	(Full Thread)	With Plain Nut	M 6X20
G-1264	6 MM Bolt	(Full Thread)	With Plain Nut	M 6X25
G-1265	6 MM Bolt	(Full Thread)	With Plain Nut	M 6X30
G-1266	6 MM Bolt	(Full Thread)	With Plain Nut	M 6X35
G-1267	6 MM Bolt	(Full Thread)	With Plain Nut	M 6X40
G-1268	6 MM Bolt	(Full Thread)	With Plain Nut	M 6X45
G-1269	6 MM Bolt	(Full Thread)	With Plain Nut	M 6X50
G-1270	6 MM Bolt	(Half Thread)	With Plain Nut	M 6X60
G-1271	6 MM Bolt	(Half Thread)	With Plain Nut	M 6X70



S. No.	PARTICULARS	SIZE
G-1281	Hanger Bolt Without Nut	M 12X1.5X20
G-1282	Hanger Bolt With Plain Nut	M 12X1.5X30
G-1282A	Hanger Bolt With Nylock Nut	M 12X1.5X30
G-1283	Hanger Bolt With Plain Nut	M 12X1.5X35
G-1283A	Hanger Bolt With Nylock Nut	M 12X1.5X35
G-1284	Front Hanger Bolt TATA 407 With Plain Nut	M 12X1.5X40
G-1285	Front Hanger Bolt TATA 407 With Nylock Nut	M 12X1.5X40
G-1286	Front Hanger Bolt TATA 407 With Plain Nut	M 12X1.5X45
G-1287	Rear Hanger Bolt TATA 407 With Plain Nut	M 12X1.5X50
G-1288	Rear Hanger Bolt TATA 407 With Nylock Nut	M 12X1.5X50
G-1289	Rear Hanger Bolt TATA 407 With Plain Nut	M 12X1.5X60
G-1290	Rear Hanger Bolt TATA 407 With Nylock Nut	M 12X1.5X60
G-1291	Rear Hanger Bolt TATA 407 With Plain Nut	M 12X1.5X65
G-1291A	Rear Hanger Bolt TATA 407 With Nylock Nut	M 12X1.5X65
G-1292	Rear Hanger Bolt TATA 407 With Plain Nut	M 12X1.5X70
G-1292A	Rear Hanger Bolt TATA 407 With Nylock Nut	M 12X1.5X70
G-1293	Rear Hanger Bolt TATA 407 With Plain Nut	M 12X1.5X75
G-1294	Front & Rear Foundation Bolt 407 Without Nut	M 12X1.75X50
G-1295	Stepney Bolt TATA 407 With Plain Nut	M 16X2.0X50
G-1295A	Stepney Bolt TATA 407 Without Nut	M 16X2.0X50
G-1296	Shocker Bolt TATA 407 With Nylock Nut	M 16X1.5X90
G-1297	Shaft Bolt TATA 407 With Nylock Nut	M 8X1.25X23
G-1297A	Shaft Bolt TATA ACE With Nylock Nut	M 8X1.25X23
G-1298	Third Arm Bolt TATA 407 (Small) With Castle Nut	M 12X1.5X100
G-1299	Third Arm Bolt TATA 407 (Big) With Castle Nut	M 12X1.5X150
G-1300	Axle Stud TATA 407 Std. With Plain Nut	M 10X10X58
G-1301	Axle Stud TATA 407 1st O/S With Plain Nut	M 10X7/16X58
G-1302	Axle Stud TATA 407 IInd O/S With Plain Nut	M 10X1/2X58
G-1303	Axle Stud 407 Turbo Std. With Plain Nut	M 16X1.5X67
G-1305	Axle Stud TATA 608 Std. With Plain Nut	M 12X12X60
G-1306	Axle Stud TATA 608 1st O/S With Plain Nut	M 12X1/2X60
G-1307	Axle Stud TATA 608 IInd O/S With Plain Nut	M 12X9/16X60
G-1308	Axle Stud TATA 608 IIIrd O/S With Plain Nut	M 12X5/8X60
G-1309	Third Arm Bolt TATA 608 With Castle Nut	M 16X1.5X110
G-1310	Hanger Bolt Sleeve 407	M 12
G-1311	Axle Stud 709 With Plain Nut	M 16X85

DODGE-TIMKEN & CHEVROLET SPARES

G-1315	Hanger Bolt With Plain Nut	7/16X1.1/4"
G-1315A	Hanger Bolt With Nylock Nut	7/16X1.1/4"
G-1316	Hanger Bolt Dodge With Plain Nut	7/16X1.1/2"
G-1316A	Hanger Bolt With Nylock Nut	7/16X1.1/2"
G-1317	Hanger Bolt Dodge With Plain Nut	7/16X2"
G-1321	Axle Stud With Plain Nut	7/16X7/16X2"
G-1322	Axle Stud With Plain Nut	7/16X7/16X2.1/4"
G-1323	Axle Stud With Plain Nut	7/16X7/16X2.1/2"
G-1324	Axle Stud With Plain Nut	7/16X7/16X2.3/4"



S. No.	PARTICULARS		SIZE
G-1326	Shaft Bolt Leyland	With Nylock Nut	1/2x1.1/2"
G-1327	Shaft Bolt Leyland	With Nylock Nut	1/2x1.3/4"
G-1328	Shaft Bolt Leyland	With Nylock Nut	1/2x2"
G-1329	Cotter Bolt Leyland O/M	With Plain Nut	1/2x2.3/4"
G-1330	Cotter Bolt Leyland O/M	With Nylock nut	1/2x2.3/4"
G-1331	Cotter Bolt Leyland N/M	With Plain Nut	M 12x70
G-1332	Cotter Bolt Leyland N/M	With Nylock Nut	M 12x70
G-1333	Axle Stud Leyland Std.	With Plain Nut	1/2X5/8X66
G-1334	Axle Stud Leyland Ist O/S	With Plain Nut	1/2X11/16X70
G-1335	Axle Stud Leyland IInd O/S	With Plain Nut	1/2X6/8X70
G-1336	Tappet Stud Leyland 370	With Nylock Nut	3/8x3/8x142
G-1343	Self Stud Leyland Std.	With Plain Nut	3/8X3/8X42
G-1344	Self Stud Leyland Ist O/S	With Plain Nut	3/8X7/16X42
G-1345	Tube Stud Cheetah	With Plain Nut	M 14X1.5X57
G-1346	Steering Stud Leyland	With Nylock Nut	1/2X1/2X3"
G-1347	Steering Stud Leyland	With Nylock Nut	1/2X1/2X4"
G-1348	Steering Stud Leyland	With Nylock Nut	1/2X1/2X6.3/8"
G-1349	Drum Bolt Leyland	Without Nut	1/2X1"
G-1350	Shaft Bolt Leyland N/M	With Nylock Nut	3/8 X 1-1/4" B.S.F.
G-1351	Shaft Bolt Leyland N/M	With Nylock Nut	3/8X1-1/2" B.S.F.
G-1352	Mountagon Bolt Leyland	With Nylock Nut	M 16X1.5X110
G-1353	Cabin Mounting Bolt Leyland	With Castle Nut	1/2X3-1/2"
G-1354	Cabin Mounting Bolt Leyland	With Castle Nut	1/2X4"
G-1355	Cabin Mounting Bolt Leyland	With Castle Nut	1/2/X4.1/2"
G-1356	Cabin Mounting Bolt Leyland	With Castle Nut	1/2X5"
G-1357	Cabin Mounting Bolt Leyland	With Castle Nut	1/2X5.1/2"
G-1358	Cabin Mounting Bolt Leyland	With Castle Nut	1/2X6"
G-1359	Cabin Mounting Bolt Leyland	With Castle Nut	1/2X7"
G-1360	Alternator Bolt L/L	With Nylock Nut	12x1.5x125
G-1361	CheckNut Lock Bolt L/L	With Nylock Nut	
G-1362	Checknut Lock Bolt Tusker	With Nylock Nut	3/8X1"
G-1363	Eye Bolt L/L	With Nylock Nut	10"
G-1364	Eye Bolt L/L	With Nylock Nut	10-1/2"
G-1365	Eye Bolt L/L	With Nylock Nut	11"
G-1366	Eye Bolt L/L	With Nylock Nut	11-1/2"
G-1367	Eye Bolt L/L	With Nylock Nut	12"
G-1368	Eye Bolt L/L	With Nylock Nut	13"
G-1369	King Pin Bolt L/L	Without Nut	7/16X1.1/4"
G-1377	Front Hub Bolt L/L N/M (Temp)	With Assy. Nut	M 22X2.5X90
G-1378	Rear Hub Bolt L/L N/M (Temp)	With Assy. Nut	M 22X2.5X110



HUB BOLTS/WHEEL BOLTS TATA

(HIGH TENSILE)

S. No.	PARTICULARS			SIZE
G-1401	Front Hub Bolt TATA	(Temp)	Without Nut	M 20X2.5X78
G-1402	Front Hub Bolt TATA	(Temp)	With Plain Nut	M 20X2.5X78
G-1403	Front Hub Bolt TATA	(Temp)	With Assy. Nut	M 20X2.5X78
G-1420	Rear Hub Bolt TATA	(Temp)	Without Nut	M 22X2.5X110
G-1422	Rear Hub Bolt TATA	(Temp)	With Assy. Nut	M 22X2.5X110
G-1423	Rear Hub Bolt TATA	(Temp)	With Assy. Long Nut	M 22X2.5X110
G-1424	Rear Hub Bolt TATA	(Temp)	Without Nut	M 22X2.5X115
G-1426	Rear Hub Bolt TATA	(Temp)	With Assy. Nut	M 22X2.5X115
G-1427	Rear Hub Bolt TATA	(Temp)	With Assy. Long Nut	M 22X2.5X115
G-1428	Rear Hub Bolt TATA	(Temp)	Without Nut	M 22X2.5X120
G-1430	Rear Hub Bolt TATA	(Temp)	With Assy. Nut	M 22X2.5X120
G-1431	Rear Hub Bolt TATA	(Temp)	With Assy. Long Nut	M 22X2.5X120
G-1432,	Rear Hub Bolt TATA	(Temp)	Without Nut	M 22X2.5X125
G-1434	Rear Hub Bolt TATA	(Temp)	With Assy. Nut	M 22X2.5X125
G-1435	Rear Hub Bolt TATA	(Temp)	With Assy. Long Nut	M 22X2.5X125
G-1436	Front Hub Bolt 1312	(Temp)	Without Nut	M 22X2.5X86
G-1438	Front Hub Bolt 1312	(Temp)	With Assy. Nut	M 22X2.5X86
G-1439	Front Hub Bolt 1312	(Temp)	With Assy. Long Nut	M 22X2.5X86
G-1440	Rear Hub Bolt 1312	(Temp)	Without Nut	M 22X2.5X98
G-1442	Rear Hub Bolt 1312	(Temp)	With Assy. Nut	M 22X2.5X98
G-1443	Rear Hub Bolt 1312	(Temp)	With Assy. Long Nut	M 22X2.5X98

HUB BOLTS/WHEEL BOLTS TATA LCV'S (HIGH TENSILE)

G-1446	Front & Rear Hub Bolt TATA 407	(Temp)	With Plain Nut	M 18X1.5X53
G-1447	Front & Rear Hub Bolt TATA 407	(Temp)	With Assy. Nut	M 18X1.5X53
G-1448	Front Hub Bolt TATA 608 & 709	(Temp)	With Assy. Nut	M 18X2.5X57
G-1449	Rear Hub Bolt TATA 608	(Temp)	With Assy. Nut	M 18X2.5X70
G-1450	Rear Hub Bolt TATA 709	(Temp)	With Assy. Nut	M 18X2.5X80
G-1451	Rear Hub Bolt TATA 909	(Temp)	With Assy. Nut	M 18X2.5X90
G-1452	Front Hub Bolt TATA ACE		Without Nut	M 12X1.5X25
G-1453	Rear Hub Bolt TATA ACE		With Nut	M 12X1.5X45



HUB NUT

IN ALLOY STEEL

HUB NUT TATA, LEYLAND & LCV'S (HIGH TENSILE)

S. No.	PARTICULARS	SIZE
G-1471	Hub Nut TATA 407 (24 No.) (Plain)	M 18X1.5
G-1472	Hub Nut TATA Front (27 No.) (Plain)	M 20X2.5
G-1473	Hub Nut TATA Rear (33 No.) (Plain)	M 22X2.5
G-1474	Assembly Hub Nut 407 (27 No.) (Temp)	M 18X1.5
G-1475	Assembly Hub Nut TATA 608 (27 No.) (Temp)	M 18X2.5
G-1476	Assembly Hub Nut TATA Front (30 No.) (Temp)	M 20X2.5
G-1477	Assembly Hub Nut TATA Front (Long) (30 No.) (Temp)	M 20X2.5
G-1478	Assembly Hub Nut TATA Rear (32 No.) (Temp)	M 22X2.5
G-1479	Assembly Hub Nut TATA Rear (Long) (32 No.) (Temp)	M 22X2.5
G-1480	Assembly Hub Nut L/L N/M (33 No.) (Temp)	M 22X2.5
G-1481	Hub Nut L/L (33 No.) (Plain)	7/8 B.S.F.

TIE ROD & DRAG LINK KIT

G-1488	Tie Rod Kit TATA 1210 (Induction Hard)	
G-1489	Drag Link Kit TATA 1210 (Induction Hard)	
G-1490	Drag Link Kit TATA 1612/2416 Power Steering (Induction Hard)	

JCB SPARES/TRACK SHOE BOLTS

G-1491	Track Shoe Bolt With Square Nut (EN-8)	M 14X1.5X40
G-1492	Track Shoe Bolt With Square Nut (EN-8)	M 14X1.5X57
G-1492A	Track Shoe Bolt With Square Nut (EN-8)	5/8X50 UNF
G-1493	Track Shoe Bolt With Square Nut (EN-8)	5/8X57 UNF
G-1493A	Track Shoe Bolt (Tempered) With Square Nut (EN-8)	5/8X57 UNF
G-1494	Track Shoe Bolt With Square Nut (EN-8)	M 18X1.5X57
G-1494A	Track Shoe Bolt (Tempered) With Square Nut (EN-8)	M 18X1.5X57
G-1495	Track Shoe Bolt With Square Nut (EN-8)	6/8X59 UNF
G-1495A	Track Shoe Bolt (Tempered) With Square Nut (EN-8)	6/8X59 UNF
G-1496	Track Shoe Bolt With Square Nut (EN-8)	M 20X1.5X63
G-1497	Track Shoe Bolt With Square Nut (EN-8)	M 20X1.5X65
G-1498	Teeth Bolt With Plain Nut	6/8X2.1/2"
G-1499	Side Cutter Bolt With Plain Nut	6/8X2.1/2"
G-1500	Front Hub Bolt JCB With Plain Nut	
G-1501	Rear Hub Bolt JCB With Coller Nut	6/8X2.3/4" U.N.F.
G-1502	Rear Hub Bolt JCB (Long) With Coller Nut	6/8X3.1/8" U.N.F.
G-1503	JCB Lock Pin	18.5x115
G-1504	Cut Washer for Lock Pin	
G-1505	Cotter Pin Power Tiller	
G-1506	Cotter Pin JCB With Square Nut	
G-1507	Cotter Pin Navistar Mahindra	



CENTER BOLTS TATA

IN ALLOY STEEL

Page 9

S. No.	PARTICULARS		SIZE
G-1511	Center Bolt TATA Mini Head	With Plain Nut	12X115MM (4.1/2")
G-1512	Center Bolt TATA Mini Head	With Plain Nut	12x150MM (6")
G-1513	Center Bolt TATA Short Head	With Plain Nut	12X115MM (4.1/2")
G-1514	Center Bolt TATA Short Head	With Plain Nut	12x150MM (6")
G-1515	Center Bolt TATA Short Head	With Plain Nut	12x200MM (8")
G-1516	Center Bolt TATA Short Head	With Plain Nut	12x250MM (10")
G-1517	Center Bolt TATA Short Head	With Plain Nut	12x300MM (12")
G-1518	Center Bolt TATA Short Head	With Plain Nut	12x350MM (14")
G-1519	Center Bolt TATA Short Head	With Plain Nut	12x400MM (16")
G-1520	Center Bolt TATA Short Head	With Plain Nut	12x450MM (18")
G-1521	Center Bolt TATA Short Head	With Plain Nut	12x500MM (20")
G-1522	Center Bolt TATA Long Head	With Plain Nut	12x150MM (6")
G-1523	Center Bolt TATA Long Head	With Plain Nut	12x200MM (8")
G-1524	Center Bolt TATA Long Head	With Plain Nut	12x250MM (10")
G-1525	Center Bolt TATA Long Head	With Plain Nut	12x300MM (12")
G-1526	Center Bolt TATA Long Head	With Plain Nut	12x350MM (14")
G-1527	Center Bolt TATA Long Head	With Plain Nut	12x400MM (16")
G-1528	Center Bolt TATA Long Head	With Plain Nut	12x450MM (18")
G-1529	Center Bolt TATA Long Head	With Plain Nut	12x500MM (20")
G-1530	Center Bolt TATA 1109 N/M E- Long Head	With Plain Nut	12x250MM (10")
G-1530A	Center Bolt TATA 1109 N/M E- Long Head	With Plain Nut	12x300MM (12")

Center Bolt TATA T.C.

G-1531	Center Bolt TATA T.C	With Plain Nut	12X200 MM (8")
G-1532	Center Bolt TATA T.C	With Plain Nut	12x250MM (10")
G-1533	Center Bolt TATA T.C	With Plain Nut	12x300MM (12")
G-1534	Center Bolt TATA T.C	With Plain Nut	12x350MM (14")
G-1535	Center Bolt TATA T.C	With Plain Nut	12x400MM (16")
G-1536	Center Bolt TATA T.C	With Plain Nut	12x450MM (18")
G-1537	Center Bolt TATA T.C	With Plain Nut	12x500MM (20")

Center Bolt TATA 2416/2213/2515

G-1541	Center Bolt TATA 2416/2213/2515	With Plain Nut	16X150MM (6")
G-1542	Center Bolt TATA 2416/2213/2515	With Plain Nut	16X200MM (8")
G-1543	Center Bolt TATA 2416/2213/2515	With Plain Nut	16X250MM (10")
G-1544	Center Bolt TATA 2416/2213/2515	With Plain Nut	16X300MM (12")
G-1545	Center Bolt TATA 2416/2213/2515	With Plain Nut	16X325MM (13")
G-1546	Center Bolt TATA 2416/2213/2515	With Plain Nut	16X350MM (14")
G-1547	Center Bolt TATA 2416/2213/2515	With Plain Nut	16X400MM (16")
G-1548	Center Bolt TATA 2416/2213/2515	With Plain Nut	16X450MM (18")
G-1549	Center Bolt TATA 2416/2213/2515	With Plain Nut	16X500MM (20")

A Symbol of Quality



CENTER BOLTS

IN ALLOY STEEL

EICHER JUMBO TATA LCV'S JEEP, F.C., TRAX

S. No.			SIZE
G-1550	Center Bolt TATA 2416/2213/2515	With Plain Nut	16x550MM (22")
G-1551	Center Bolt Eicher Jumbo	With Plain Nut	14X250MM (10")
G-1552	Center Bolt Eicher Jumbo	With Plain Nut	14X300MM (12")
G-1552A	Center Bolt Eicher Jumbo LONG HEAD/Navi Star	With Plain Nut	14X300MM (12")
G-1553	Center Bolt Eicher Jumbo	With Plain Nut	14X350MM (14")
G-1554	Center Bolt Eicher Jumbo	With Plain Nut	14X400MM (16")
G-1555	Center Bolt Eicher Jumbo	With Plain Nut	14X450MM (18")
G-1556	Center Bolt Tata 407	With Plain Nut	10X50 MM (2")
G-1557	Center Bolt Tata 407	With Plain Nut	10X75 MM (3")
G-1558	Center Bolt Tata 407	With Plain Nut	10X100 MM (4")
G-1559	Center Bolt Tata 407	With Plain Nut	10X115 MM (4.1/2")
G-1560	Center Bolt Tata 407	With Plain Nut	10X125 MM (5")
G-1561	Center Bolt Tata 407	With Plain Nut	10X150 MM (6")
G-1561A	Center Bolt TATA 407 Long Head	With Plain Nut	10X150 MM (6")
G-1562	Center Bolt Tata 407	With Plain Nut	10X200 MM (8")
G-1562A	Center Bolt TATA 407 Long Head (Swaraj)	With Plain Nut	10X200 MM (8")
G-1563	Center Bolt Tata 407	With Plain Nut	10X250 MM (10")
G-1564	Center Bolt Tata 407	With Plain Nut	10X300 MM (12")
G-1566	Center Bolt OMNI/GYPSY (Fine Thread)	With Plain Nut	5/16X2-1/2"
G-1567	Center Bolt OMNI/GYPSY (Fine Thread)	With Plain Nut	5/16X3"
G-1568	Center Bolt Jeep (Fine Thread)	With Plain Nut	5/16X3.1/2"
G-1569	Center Bolt Jeep (Fine Thread)	With Plain Nut	5/16X4"
G-1570	Center Bolt Jeep (Fine Thread)	With Plain Nut	5/16X4.1/2"
G-1571	Center Bolt Jeep (Fine Thread)	With Plain Nut	5/16X5"
G-1572	Center Bolt Jeep (Fine Thread)	With Plain Nut	5/16X6"
G-1573	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X2"
G-1574	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X2"
G-1575	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X2.1/2"
G-1576	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X2.1/2"
G-1577	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X3"
G-1578	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X3"
G-1579	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X3.1/2"
G-1580	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X3.1/2"
G-1581	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X4"
G-1582	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X4"
G-1583	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X4.1/2"
G-1584	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X4.1/2"
G-1585	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X5"
G-1586	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X5"
G-1587	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X6"
G-1588	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X6"
G-1589	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X8"
G-1590	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X8"
G-1591	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X10"
G-1592	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X10"
G-1593	Center Bolt F.C (Rough Thread)	With Plain Nut	3/8X12"
G-1594	Center Bolt F.C (Fine Thread)	With Plain Nut	3/8X12"
G-1595	Center Bolt Trax Short Head (Rough Thread)	With Plain Nut	3/8X3"
G-1596	Center Bolt Trax Short Head (Rough Thread)	With Plain Nut	3/8X4"

Committed To Quality



S. No.	PARTICULARS	SIZE
G-1641	Spring Pin TATA 407 O/M	M 20X121
G-1642	Spring Pin TATA 407 N/M	M 20X129
G-1643	Spring Pin TATA 407 O/M Long	M 20X133
G-1644	Spring Pin TATA 407 Turbo (2 Cut)	M 20X138
G-1645	Front Spring Pin TATA 608/709	M 20X129
G-1646	Rear Spring Pin TATA 608/709	M 22X139
G-1647	Front Spring Pin TATA 1109	M 25X140
G-1648	Rear Spring Pin TATA 1109	M 25X139
G-1649	Front Spring Pin TATA SE	M 25X130
G-1650	Rear Spring Pin TATA SE	M 30X139
G-1651	Spring Pin TATA 2416/2515 (Front)	M 30X130
G-1652	Spring Pin TATA 2416/2515 (Rear)	M 35X130
G-1653	Spring Pin TATA 2416/2515 (2 Cut)	M 35X136
G-1654	Spring Pin TATA 2416/2515 (1 Cut)	M 35X139
G-1655	Spring Pin Leyland Front/Rear	M 25.4X135
G-1656	Spring Pin Leyland 2214/2515 (2 Cut)	M 35X151
G-1656A	Spring Pin Leyland 2214/2515	M 35X149
G-1657	Spring Pin Leyland 2214/2515	M 35X164
G-1658	Bell Crank Pin TATA 2416/2515 (2 Cut)	M 42X110
G-1658A	Bell Crank Pin TATA 2416/2515 (1 Cut)	M 42X110
G-1659	Bell Crank Pin TATA 2416/2515 (2 cut)	M 42X116
G-1660	Bell Crank Pin TATA 2416/2515 (1 Cut)	M 42X116
G-1660A	Bell Crank Pin MAHINDRA	M 42X142
G-1661	Bell Crank Pin TATA 2416/2515	M 42X148
G-1662	Bell Crank Pin Leyland 2214/2516 (2 Cut)	M 42X123
G-1663	Bell Crank Pin Leyland 2214/2516 (2 Cut)	M 42X132
G-1664	Bell Crank Pin Leyland 2214/2516 (1 Cut)	M 42X160
G-1665	Bell Crank Pin Leyland 2214/2516 (2 Cut)	M 42X160
G-1666	Spring Pin TATA ACE (Single Nut Head Type)	M 16X110
G-1667	Spring Pin TATA ACE (Double Nut Without Head)	M 16X110

WASHERS (HUB BOLT/U-BOLT WASHER)

G-1676	Hub Bolt Washer (Tapper)	M 20 (6/8)
G-1677	Hub Bolt Washer (Tapper)	M 22 (7/8)
G-1678	Hub Bolt Washer (Cut)	M 20 (6/8)
G-1679	Hub Bolt Washer (Cut)	M 22 (7/8)
G-1680	Hub Bolt Washer 407 & 608 Plain	M 18
G-1681	Hub Bolt Washer 407 & 608 (Cut)	M 18
G-1682	'U' Bolt Washer	5/8
G-1683	'U' Bolt Washer	6/8
G-1684	'U Bolt Washer Plain (Alloy Steel)	6/8
G-1685	'U' Bolt Washer Plain (Alloy Steel)	M 22 (7/8)



WASHER

IN ALLOY STEEL

FOUNDATION WASHER

S. No.	PARTICULARS	SIZE
G-1685A	Rear Foundation Washer 1210	M 10
G-1686	Rear Foundation Washer 1210	M 12
G-1687	Front Foundation Washer 1210	M 14
G-1688	Front Foundation Washer (2416/2213)	M 16

SHACKLE WASHERS (SPRING PIN WASHER / BELL CRANK WASHER) SHACKLE SHIMS

G-1691	Spring Pin Washer 1210 Front (25 Bore)	M 3
G-1692	Spring Pin Washer 1210 Rear (30 Bore)	M 3
G-1693	Spring Pin Washer 1210 Front (25 Bore)	M 4
G-1694	Spring Pin Washer 1210 Rear (30 Bore)	M 4
G-1695	Spring Pin Washer 1210 Front (25 Bore)	M 5
G-1696	Spring Pin Washer 1210 Rear (30 Bore)	M 5
G-1697	Spring Pin Washer 1210 Front (25 Bore)	M 6
G-1698	Spring Pin Washer 1210 Rear (30 Bore)	M 6
G-1698A	Spring Pin Washer (407) (Bore 20mm)	M 3
G-1699	Spring Pin Washer (407) (Bore 20mm)	M 4
G-1700	Spring Pin Washer (407) (Bore 20mm)	M 5
G-1701	Spring Pin Washer (407) (Bore 20mm)	M 6
G-1701A	Spring Pin Washer (608) (Bore 22mm)	M 3
G-1702	Spring Pin Washer 608 (Bore 22mm)	M 4
G-1703	Spring Pin Washer 608 (Bore 22mm)	M 5
G-1704	Spring Pin Washer 608 (Bore 22mm)	M 6
G-1705	Spring Pin Washer (M3X35X74)	M 3
G-1706	Spring Pin Washer (M4X35X74)	M 4
G-1707	Spring Pin Washer (M5X35X74)	M 5
G-1708	Spring Pin Washer (M6X35X74)	M 6
G-1708A	Spring Pin Washer (M7X35X74)	M7
G-1709	Bell Crank Washer (M3X42X74)	M 3
G-1710	Bell Crank Washer (M4X42X74)	M 4
G-1711	Bell Crank Washer (M5X42X74)	M 5
G-1712	Bell Crank Washer (M6X42X74)	M 6
G-1712A	Bell Crank Washer (M7X42X74)	M 7
G-1713	Shackle Shim Tata Front (25 Bore)	M 2
G-1714	Shackle Shim Tata Rear (30 Bore)	M 2
G-1715	Shackle Shim 407/ Front/Rear & 608 Front (20 Bore)	M 2
G-1716	Bell Crank Shim 2416 (35 Bore)	M 2
G-1717	Bell Crank Shim 2416 (42 Bore)	M 2
G-1718	Shackle Shim 608 Rear (22 Bore)	M 2

PLAIN WASHER & SPRING WASHERS

G-1718A	Plain Washer	M 6
G-1719	Plain Washer	M 8
G-1720	Plain Washer	M 10
G-1721	Plain washer	M12

A Healthy Choice



S. No.	PARTICULARS	SIZE
G-1722	Plain Washer	M 14
G-1723	Plain Washer	(5/8) & M 16
G-1723A	Plain Washer	M 18
G-1723B	Plain Washer	M 20
G-1724	Spring Washer	M6
G-1725	Spring Washer	3/8
G-1726	Spring Washer	M8
G-1727	Spring Washer	M10
G-1728	Spring Washer	M12
G-1729	Spring Washer	1/2"
G-1730	Spring Washer	M14
G-1731	Spring Washer	M16
G-1732	Spring Washer	5/8"
G-1733	Spring Washer	M18
G-1734	Spring Washer	M20
G-1735	Spring Washer	7/16
G-1736	Spring Washer	M 22
G-1737	Shackle Shim TATA ACE	M 16
G-1738	Spring Washer	M 24

PINION NUTS & AXLE CHECKNUTS

G-1741	Pinion Nut TATA 1210 & 1312	M 40X1.5
G-1742	Pinion Nut TATA 312 O/M	M 28X1.5
G-1743	Pinion Nut TATA 608	M 32X1.5
G-1744	Pinion Nut TATA 407	M 26X1.5
G-1745	Pinion Nut TATA 2515/GB60	1-1/2 X12 TPI
G-1746	Pinion Nut Leyland (3516/ZF)	1-1/2 X12 TPI
G-1747	Pinion Nut Leyland 370 Plain	1.1/4" X16
G-1748	Pinion Nut Leyland 370 Collar	1.1/4" X16
G-1749	Pinion Nut Leyland Super Comet Plain	M 30X1.5
G-1750	Pinion Nut Leyland Super Comet Coller	M 30X1.5
G-1750A	Pinion Nut Hyava	1-3/4X12 UNF
G-1751	Main Shaft Nut TATA 1210	M 28X1.5
G-1752	Main Shaft Nut TATA 407	M 26X1.5
G-1753	Main Shaft Nut TATA 1312 (GB-40)	M 28X1.5
G-1753A	Centre Joint Nut TATA 1312	M 28X1.5
G-1754	Main Shaft Nut TATA Spicer/TC 1612	1"X20
G-1754A	Main Shaft Nut TATA 2515 EX	M 32 X 1.5
G-1755	Main Shaft Nylock Nut Leyland 370 Small	1/2 B.S.P
G-1756	Mian Shaft Nylock Nut Leyland 370 Big	7/8 B.S.P.
G-1757	Main Shaft Nut Leyland N/M (3516 & 3515 ZF)	M 32X1.5
G-1757A	Centre Joint Nut Leyland	1.1/4"X16
G-1758	Out Put Shaft Nut Leyland	1.1/2" X 12 TPI
G-1759	Spindle Nut TATA 407 O/M	M 24X1.5
G-1760	Spindle Nut TATA 407 N/M	M 24X1.5
G-1761	Spindle Nut TATA 1210	M 32X1.5

Over 350 Satisfied Dealer Network Across the Country



S. No.	PARTICULARS	SIZE
G-1762	Spindle Nut TATA 85 Model	M 32X1.5
G-1763	Steering Sector Shaft Nut 1210	M 36X1.5
G-1764	Top Gear Checknut TATA 1210	M 45X1.5
G-1765	Top Gear Checknut TATA 407	M 40X1.5
G-1766	Pinion Nut Leyland 2214	M 37X1.5
G-1767	Main Shaft Nut Leyland 2214	1.1/4X18
G-1768	Main Shaft Nut (TATA 2515/GB-60)	M 32X1.5
G-1769	Rear Axle Checknut Leyland-370	
G-1770	Rear Axle Checknut TATA 2515	
G-1771	Rear Axle Checknut TATA 85 Model STD	M 64X2.0
G-1772	Rear Axle Checknut TATA 85 Model Ist U/S	M 64X2.0
G-1773	Rear Axle Checknut TATA 85 Model IInd U/S	M 64X2.0
G-1774	Rear Axle Checknut TATA 85 Model IIIrd & U/S	M 64X2.0
G-1775	Rear Axle Checknut 1312 STD. (F/T)	M 70X1.5
G-1776	Rear Axle Checknut 1312 STD. (R/T)	M 70X2.0
G-1777	Rear Axle Checknut 1312 Ist U/S (F/T)	M 70X1.5
G-1778	Rear Axle Checknut 1312 Ist U/S (R/T)	M 70X2.0
G-1779	Rear Axle Checknut 1312 IInd U/S (F/T)	M 70X1.5
G-1780	Rear Axle Checknut 1312 IInd U/S (R/T)	M 70X2.0
G-1781	Rear Axle Checknut 1312 IIIrd U/S (F/T)	M 70X1.5
G-1782	Rear Axle Checknut 1312 IIIrd U/S (R/T)	M 70X2.0
G-1783	Propeller Shaft Nut Leyland	
G-1784	Rear Axle Checknut 407 STD.	M 48X2.0
G-1785	Rear Axle Checknut 407 Ist U/S	M 48X2.0
G-1786	Rear Axle Checknut 407 IInd U/S	M 48X2.0
G-1787	Rear Axle Checknut 608 STD	M 58X2.0
G-1788	Rear Axle Checknut 608 Ist U/S	M 58X2.0
G-1789	Rear Axle Checknut 608 IInd U/S	M 58X2.0
G-1790	Rear Axle Checknut 2416 STD	M 75X1.5
G-1791	Rear Axle Checknut 2416 Ist U/S	M 75X1.5
G-1792	Rear Axle Checknut 2416 IInd U/S	M 75X1.5
G-1793	Rear Axle Checknut 2416 IIIrd U/S	M 75X1.5
G-1795	Center Joint Nut TATA TC	1"X 20 TPI
G-1796	Center Joint Nut TATA 2515	1/2 X 12 TPI

SPRING & SHACKLE BUSHES (STEEL)

G-1800	Spring Bush Trolley (Steel) (Dodge)	1X2.1/2"
G-1801	Front Spring Pin Bush (Steel) TATA SE	M 25
G-1802	Rear Spring Pin Bush (Steel) TATA SE	M 30
G-1803	F/R Spring Pin Bush (Steel) TATA 407/F 608	M 20
G-1804	Rear Spring Pin Bush (Steel) TATA 608	M 22
G-1805	Front Spring Pin Bush (Steel) TATA 2416	M 30
G-1806	Rear Spring Pin Bush (Steel) TATA 2416	M 35
G-1807	F/R Spring Pin Bush (Steel) Leyland	M 25.4
G-1808	F/R Spring Pin Bush (Steel) TATA ACE	M 16
G-1809	Spring Pin Bush (Steel) Jeep F C 360-D	
G-1810	Rear Spring Pin Bush Canter	

Widest Range of Quality Replacement Parts Under One Roof



S. No.	PARTICULARS		SIZE
G-1812	Hub Bolt Jeep F.C.	With Tapper Nut	1/2X2"
G-1814	Hub Bolt Commander	With Coller Nut	1/2X2"
G-1815	Front Hub Bolt Marshal	With Coller Nut	M14X1.5X45
G-1816	Rear Hub Bolt Marshal / Max	With Coller Nut	14X1.5X50
G-1817	Hub Bolt Minidor	With Plain Nut	10X1.5X45
G-1819	Hub Bolt Indica	Without Nut	12X1.5X25
G-1820	F & R Hub Bolt Cruzer	Without Nut	14X1.5X25
G-1821	F & R Hub Bolt Trax	Without Nut	14X1.5X29
G-1822	F & R Hub Bolt Traveller	Without Nut	14X1.5X34
G-1823	Axle Stud Jeep S/S	Without Nut	3/8X3/8X2"
G-1824	Axle Stud Jeep S/S	With Plain Nut	3/8X3/8X2"
G-1825	Axle Stud Jeep O/S	Without Nut	3/8X7/16X2"
G-1826	Axle Stud Jeep O/S	With Plain Nut	3/8X7/16X2"
G-1827	Axle Stud F.C. S/S	Without Nut	3/8X3/8X2.1/4"
G-1828	Axle Stud F.C. S/S	With Plain Nut	3/8X3/8X2.1/4"
G-1829	Axle Stud F.C. O/S	Without Nut	3/8X7/16X2.1/4"
G-1830	Axle Stud F.C. O/S	With Plain Nut	3/8X7/16X2.1/4"
G-1831	Axle Stud F.C. IInd O/S	Without Nut	7/16X7/16X2.1/4"
G-1832	Axle Stud F.C. IInd O/S	With Plain Nut	7/16X7/16X2.1/4"
G-1833	Axle Stud Commander S/S	With Tapper Nut	3/8X3/8X2.1/4"
G-1834	Axle Stud Commander O/S	With Tapper Nut	3/8X7/16X2.1/4"
G-1835	Shaft Bolt Jeep	With Nylock Nut	3/8X1.1/4"
G-1836	Shaft Bolt Jeep	With Nylock Nut	3/8X1.1/2"
G-1837	Shaft Bolt Trax	With Plain Nut	10X1.0X25
G-1837A	Shaft Bolt Trax	With Plain Nut	10X1.0X30
G-1838	Shackle Bolt Armada	With Nylock Nut	16X1.5X110
G-1838A	Shackle Bolt Armada	With Nylock Nut	16X1.5X100
G-1839	Balance Rod Bolt Armada	With Nylock Nut	12X1.25X63
G-1840	Silent Block Assy. Bolt	With Nylock Nut	7/16X3"
G-1841	Front Spring Pin Jeep Small	With Slotted Nut & Nipple	9/16X80
G-1842	Spring Pin Trax	With Castle Nut	12X1.5X100
G-1843	Spring Pin Trax	With Castle Nut	12X1.5X110
G-1845	Rear Spring Pin Utility	With Nylock Nut & Nipple	16X1.5X98
G-1846	Rear Spring Pin Max Hole in Head	With Nylock Nut & Nipple	16X1.5X98
G-1847	Suspension Bolt TRAX	With Castle Nut	16x1.5x100
G-1848	Gear Box Foundation Bolt Minidor	With Castle Nut	20X1.5X67
G-1850	Dynomo Patti Bolt	With Nylock Nut	M 10X1.5X45



IN ALLOY STEEL

HUB BOLTS / WHEEL BOLTS

S. No.	PARTICULARS		SIZE
G-1861	Front Hub Bolt Massey P-3 N/M	Without Nut	1/2X27
G-1862	Rear Hub Bolt Massey P-3	With Tapper Nut	9/16X2"
G-1863	Rear Hub Bolt Massey P-3 Long	With Tapper Nut	9/16X2.1/4"
G-1864	Rear Hub Bolt Massey P-3 E-Long	With Tapper Nut	9/16X2.1/2"
G-1865	Rear Hub Bolt Massey 1035 N/M	With Collar Nut	9/16X2.1/4"
G-1866	Rear Hub Bolt Massey 1035 N/M (Long)	With Collar Nut	9/16X2.1/2"
G-1867	Rear Hub Bolt Massey D.I./245 Turbo	With Collar Nut	M 16X1.5X46
G-1868	Front Hub Bolt Mahindra/DI	With Tapper Nut	1/2X40
G-1869	Rear Hub Bolt Mahindra	With Tapper Nut	5/8X42
G-1870	Rear Hub Bolt Mahindra Long	With Tapper Nut	5/8X50
G-1871	Rear Hub Bolt Mahindra E-Long	With Tapper Nut	5/8X55
G-1872	Rear Hub Bolt Mahindra D.I. / ARJUN	With Collar Nut	5/8X50
G-1873	Read Hub Bolt Mahindra D.I. / ARJUN Long	With Collar Nut	5/8X55
G-1874	Front & Rear Hub Bolt Zetor 2511/3511	With Collar Nut	M 14X1.5X45
G-1875	Front Hub Bolt Zetor 5911	With Collar Nut	M 14X1.5X55
G-1876	Rear Hub Bolt Zetor 5911	With Kekra Nut	M 22X1.5X50
G-1877	Front Hub Bolt Swaraj	With Plain Nut	16X1.5X45
G-1878	Rear Hub Bolt Swaraj	With Plain Nut	16X1.5X50
G-1879	Rear Hub Bolt Swaraj Long	With Plain Nut	16X1.5X57
G-1879A	Rear Hub Bolt Swaraj DI	With Plain Nut	16X1.5X50
G-1880	Front Hub Bolt Eicher	With Tapper Nut	14X1.5X40
G-1881	Rear Hub Bolt Eicher (241-242 O/M)	With Tapper Nut	16X1.5X50
G-1882	Front Hub Bolt Ford	With Tapper Nut	1/2X45
G-1883	Rear Hub Bolt Ford	With Tapper Nut	5/8X57
G-1884	Rear Hub Bolt Ford Long	With Tapper Nut	5/8X65
G-1885	Rear Hub Bolt Farm Track	With Collar Nut	5/8X65
G-1886	Front Hub Bolt Sonalika	With Collar Nut	M 14X1.5X45
G-1887	Rear Hub Bolt Sonalika	With Plain Nut	M 16X1.5X57
G-1888	Front Hub Bolt Escort 335	With Plain Nut	M 14X1.5X47
G-1889	Rear Hub Bolt Escort 335	With Plain Nut	M 20X1.5X53
G-1890	Front Hub Bolt Escort 440	With Plain Nut	M 14X1.5X47
G-1891	Rear Hub Bolt Escort 440	With Plain Nut	M 20X1.5X63

TROLLEY WHEEL BOLTS

G-1901	TROLLEY Wheel Bolt	With Collar Nut	20X60
G-1902	TROLLEY Wheel Bolt	With Collar Nut	20X70
G-1902A	TROLLEY Wheel Bolt (Green Zinc)	With Collar Nut	20x70
G-1902B	TROLLEY Wheel Bolt	With Assy. Nut	20X70
G-1903	TROLLEY Wheel Bolt	With Tapper Nut	20X70
G-1904	TROLLEY Wheel Bolt	With Kekra Nut	20X70
G-1905	TROLLEY Wheel Bolt	With Collar Nut	20X80
G-1906	TROLLEY Wheel Bolt	With Tapper Nut	20X80
G-1907	TROLLEY Wheel Bolt	With Plain Nut	5/8X2.1/2"

Accurate & Durable



IN ALLOY STEEL

TROLLEY WHEEL BOLTS

S. No.	PARTICULARS	SIZE
G-1908	TROLLEY Wheel Bolt With Kekra Nut	5/8X2.1/2"
G-1909	TROLLEY Wheel Bolt With Plain Nut	5/8X3"
G-1910	TROLLEY Wheel Bolt With Kekra Nut	5/8X3"
G-1911	TROLLEY Wheel Bolt With Collar Nut	22x65
G-1911A	TROLLEY Wheel Bolt With Assembly Nut	22x65
G-1911B	TROLLEY Wheel Bolt With Assembly Nut (Zinc)	22x65
G-1912	TROLLEY Wheel Bolt With Tapper Nut	7/8X2.1/2"
G-1913	TROLLEY Wheel Bolt With Tapper Nut	7/8X3"
G-1913A	TROLLEY Wheel Bolt With Assy. Nut	7/8X3"
G-1914	TROLLEY Wheel Bolt With Tapper Nut	7/8X3.1/2"
G-1915	RIM Plate Bolt With Kekra Nut	7/8X2"
G-1915A	TROLLEY Wheel Bolt With Assembly Nut	22x70
G-1915B	TROLLEY Wheel Bolt With Assy. Nut	M 22X75
G-1915C	RIM Bolt 3 DX With Plain Nut	M 20X1.5X40
G-1915D	RIM Bolt 430 Z With Plain Nut	M 22X1.5X40

AXLE BOLT

G-1916	Axle Bolt (Fine Thread) With Plain Nut	5/8X1.1/2"
G-1916A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X1.1/2"
G-1917	Axle Bolt (Fine Thread) With Plain Nut	5/8X2"
G-1917A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X2"
G-1918	Axle Bolt (Fine Thread) With Plain Nut	5/8X2-1/4"
G-1918A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X2-1/4"
G-1919	Axle Bolt (Fine Thread) With Plain Nut	5/8X2.1/2"
G-1920	Axle Bolt (Rough Thread) With Nylock Nut	5/8X2.1/2"
G-1921	Axle Bolt (Fine Thread) With Plain Nut	5/8X2.3/4"
G-1921A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X2.3/4"
G-1922	Axle Bolt (Fine Thread) With Plain Nut	5/8X3"
G-1923	Axle Bolt (Rough Thread) With Nylock Nut	5/8X3"
G-1924	Axle Bolt (Fine Thread) With Plain Nut	5/8X3.1/2"
G-1924A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X3.1/2"
G-1925	Axle Bolt (Fine Thread) With Plain Nut	5/8X4"
G-1925A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X4"
G-1926	Axle Bolt (Fine Thread) With Plain Nut	5/8X4.1/2"
G-1926A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X4.1/2"
G-1927	Axle Bolt (Fine Thread) With Plain Nut	5/8X5"
G-1927A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X5"
G-1928	Axle Bolt (Fine Thread) With Plain Nut	5/8X5.1/2"
G-1928A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X5.1/2"
G-1929	Axle Bolt (Fine Thread) With Plain Nut	5/8X6"
G-1929A	Axle Bolt (Rough Thread) With Nylock Nut	5/8X6"

100% Tested & Certified



IN ALLOY STEEL

AXLE BOLT MAKHI BOLTS (Disc Bolts)

S. No.	PARTICULARS		SIZE
G-1930	Axle Bolt (Fine Thread)	With Plain Nut	5/8X7"
G-1930A	Axle Bolt (Rough Thread)	With Nylock Nut	5/8X7"
G-1931	Axle Bolt (Fine Thread)	With Plain Nut	5/8X8"
G-1931A	Axle Bolt (Rough Thread)	With Nylock Nut	5/8X8"
G-1932	Axle Bolt (Fine Thread)	With Plain Nut	5/8X6-1/2"
G-1932A	Axle Bolt (Rough Thread)	With Nylock Nut	5/8X6-1/2"
G-1933	Axle Bolt (Fine Thread)	With Plain Nut	5/8x9"
G-1933A	Axle Bolt (Rough Thread)	With Nylock Nut	5/8x9"
G-1933B	Axle Bolt (Fine Thread)	With Plain Nut	5/8x10"
G-1933C	Axle Bolt (Rough Thread)	With Nylock Nut	5/8x10"
G-1934	Makhi Bolt (Disc Bolt)	With Plain Nut	5/8X2"
G-1935	Makhi Bolt (Disc Bolt)	With Plain Nut F/T	5/8X3"
G-1936	Makhi Bolt (Disc Bolt)	With Plain Nut R/T	5/8X3"
G-1937	Makhi Bolt (Disc Bolt)	With D/ Plain Nut F/T	5/8X4"
G-1937A	Makhi Bolt (Disc Bolt) (Green Zinc)	With D/ Plain Nut F/T	5/8X4"
G-1938	Makhi Bolt (Disc Bolt)	With D/Plain Nut R/T	5/8X4"
G-1938A	Makhi Bolt (Disc Bolt) (Green Zinc)	With D/Plain Nut R/T	5/8X4"
G-1939	Makhi Bolt (Disc Bolt)	With D/ Plain Nut F/T	5/8X5"
G-1940	Makhi Bolt (Disc Bolt)	With D/Plain Nut R/T	5/8X5"

TILLER TYNE BOLT

G-1943	Tiller Tyne Bolt	With Plain Nut	6/8X1-1/2"
G-1944	Tiller Tyne Bolt	With Nylock Nut	6/8X1-1/2"
G-1945	Tiller Tyne Bolt	With Plain Nut	6/8X2"
G-1946	Tiller Tyne Bolt	With Nylock Nut	6/8X2"
G-1947	Tiller Tyne Bolt	With Plain Nut	6/8X2.1/2"
G-1948	Tiller Tyne Bolt	With Nylock Nut	6/8X2.1/2"
G-1949	Tiller Tyne Bolt	With Plain Nut	6/8X3"
G-1950	Tiller Tyne Bolt	With Nylock Nut	6/8X3"
G-1951	Tiller Tyne Bolt	With Plain Nut	6/8X3.1/2"
G-1952	Tiller Tyne Bolt	With Nylock Nut	6/8X3.1/2"
G-1953	Tiller Tyne Bolt	With Plain Nut	6/8X4"
G-1954	Tiller Tyne Bolt	With Nylock Nut	6/8X4"
G-1955	Tiller Tyne Bolt	With Plain Nut	6/8X4.1/2"
G-1956	Tiller Tyne Bolt	With Nylock Nut	6/8X4.1/2"
G-1957	Tiller Tyne Bolt	With Plain Nut	6/8X5"
G-1958	Tiller Tyne Bolt	With Nylock Nut	6/8X5"
G-1958A	Tiller Tyne Bolt	With Plain Nut	6/8X5.1/2"
G-1958B	Tiller Tyne Bolt	With Nylock Nut	6/8X5.1/2"
G-1959	Tiller Tyne Bolt	With Plain Nut	6/8X6"
G-1960	Tiller Tyne Bolt	With Nylock Nut	6/8X6"
G-1961	Tiller Tyne Bolt	With Nylock Nut	18X1.5X75



IN ALLOY STEEL

PLOUGH BOLTS & TILLER FRAME BOLTS

S. No.	PARTICULARS	SIZE
G-1962	Plough Bolt With Plain Nut	5/8X2.1/2"
G-1963	Plough Bolt With Plain Nut	5/8X3"
G-1963A	Plough Bolt With Plain Nut	6/8X2"
G-1964	Plough Bolt With Plain Nut	6/8X2-1/2"
G-1965	Plough Bolt With Nylock Nut	6/8X2-1/2"
G-1966	Plough Bolt With Plain Nut	6/8X3"
G-1967	Plough Bolt With Nylock Nut	6/8X3"
G-1967A	Plough Bolt With Plain Nut	10X1.5X40
G-1967B	Plough Bolt With Nylock Nut	10X1.5X40
G-1967C	Plough Bolt With Plain Nut	12X1.75X45
G-1967D	Plough Bolt With Nylock Nut	12X1.75X45
G-1968	Nagar Bolt With Nylock Nut	6/8X4"
G-1969	Nagar Bolt With Nylock Nut	6/8X4-1/2"
G-1971	Tiller Frame Bolt With Plain Nut	7/16X2-3/4"
G-1972	Tiller Frame Bolt With Plain Nut	7/16X3"
G-1973	Tiller Frame Bolt With Plain Nut	7/16X3-1/2"
G-1974	Tiller Frame Bolt With Plain Nut	7/16X4"
G-1975	Tiller Frame Bolt With Plain Nut	7/16X5"
G-1977	Rear Axle Top Bolt Mahindra Without Nut	6/8X1.3/4 UNF

HITCH STUDS & MISC STUD

G-1981	Hitch Stud Massey Std.	With Plain Nut	5/8X5/8X2.3/8"
G-1982	Hitch Stud Massey Ist O/S	With Plain Nut	5/8X11/16X2.3/8"
G-1983	Hitch Stud Massey IInd O/S	With Plain Nut	5/8X6/8X2.3/8"
G-1983A	Hitch Stud Massey 2.5 O/S	With Plain Nut	5/8X13/16X2-1/2"
G-1984	Hitch Stud Massey IIIrd O/S	With Plain Nut	5/8X7/8X2.3/8"
G-1985	Hitch Stud Massey IVth O/S	With Plain Nut	5/8X1X2.3/8"
G-1986	Hitch Stud Massey D.I. Std.	With Plain Nut	6/8X6/8X2.5"
G-1987	Hitch Stud Massey D.I. Ist O/S	With Plain Nut	6/8X7/8X2.5"
G-1988	Hitch Stud Massey D.I. 2nd O/S	With Plain Nut	6/8X1X2.5"
G-1989	Pully Stud Mahindra Std.	With Plain Nut	1/2X1/2X2.3/8"
G-1990	Pully Stud Mahindra O/S	With Plain Nut	1/2X9/16X2.3/8"
G-1990A	Pully Stud Inter D.I. STD.	With Plain Nut	1/2X1/2X2.5/8"
G-1990B	Pully Stud Inter D.I. O/S	With Plain Nut	1/2X9/16X2.5/8"
G-1992	PTO Pully Stud Massey Std.	With Plain Nut	7/16X7/16X2"
G-1993	PTO Pully Stud Massey O/S	With Plain Nut	7/16X1/2X2"
G-1994	PTO Pully Stud Massey D.I. & Ford Std.	With Plain Nut	7/16X7/16X2.1/2"
G-1995	PTO Pully Stud Massey D.I. & Ford Ist O/S	With Plain Nut	7/16X1/2X2.1/2"
G-1996	PTO Pully Stud Swaraj STD	With Plain Nut	M 12X12X100



MISC STUD & HITCH BOLTS

S. No.	PARTICULARS		SIZE
G-1997	PTO Pully Stud Swaraj Ist O/S	With Plain Nut	M 12X1/2X100
G-1998	PTO Pully Stud Swaraj IInd O/S	With Plain Nut	M 12X9/16X100
G-1999	PTO Pully Stud Swaraj IIIrd O/S	With Plain Nut	M 12X5/8X100
G-2000	Stud std.	With Plain Nut	M 14X2X65
G-2001	Stud Ist O/S	With Plain Nut	M 14X5/8X65
G-2002	Stud IInd O/S	With Plain Nut	M 14X11/16X65
G-2003	Stud	With Plain Nut	M 20X1.5X80
G-2004	Stud	With Plain Nut	M 16X2X80
G-2005	Tube Stud Swaraj Std.	With Plain Nut	M 12X1.75X75
G-2006	Tube Stud Swaraj Ist O/S	With Plain Nut	M 12X1/2X75
G-2007	Mudguard Stud Swaraj Small	With Plain Nut	M 16X1.5X60
G-2007A	Mudguard Stud Swaraj Long	With Plain Nut	M 16X1.5X70
G-2016	Hitch Bolt Mahindra D.I (Golden) (Full Thread)	With Plain Nut	1/2X1-1/4" U.N.C
G-2017	Hitch Bolt (B.S.W.)	With Plain Nut	5/8X1-1/2"
G-2018	Hitch Bolt (B.S.W.)	With Plain Nut	5/8X2"
G-2019	Hitch Bolt (B.S.W.)	With Plain Nut	5/8X2-1/2"
G-2020	Hitch Bolt (B.S.W.)	With Plain Nut	5/8X3"
G-2020A	Hitch Bolt (B.S.W.)	With Plain Nut	6/8X1.1/2"
G-2021	Hitch Bolt (B.S.W.)	With Plain Nut	6/8X2"
G-2022	Hitch Bolt (B.S.W.)	With Plain Nut	6/8X2.1/2"
G-2023	Hitch Bolt (B.S.W.)	With Plain Nut	6/8X3"
G-2024	Hitch Bolt (B.S.W.)	With Plain Nut	7/8X2"
G-2025	Hitch Bolt (B.S.W.)	With Plain Nut	7/8X2-1/2"
G-2026	Bracket Bolt Mahindra D.I. Std.	Without Nut	7/8X1-1/2"
G-2027	Bracket Bolt Mahindra D.I. Long	Without Nut	7/8X2"
G-2029	Spindle Bolt Massey (U.N.F.)	With Nylock Nut	7/16X2-3/4"
G-2030	Spindle Bolt Ford (Golden)	With Nylock Nut	7/16X2-3/4"
G-2031	Spindle Bolt Mahindra	With Plain Nut	5/8X2-3/4"
G-2032	Mudguard Bolt	With Plain Nut	5/8X8"

ROTAVATOR BOLTS & MISC BOLTS

G-2033	Rotavator Bolt	With Nylock Nut	7/16x1-1/4"
G-2034	Rotavator Bolt	With Nylock Nut	7/16x1-1/2"
G-2034A	Rotavator Bolt (Full Thread)	With Nylock Nut	M 12X1.75X35
G-2034B	Rotavator Bolt (Full Thread)	With Plain Nut	M 12X1.75X35
G-2034C	Rotavator Bolt (Full Thread)	Without Nut	M 12X1.75X35
G-2035	Rotavator Bolt	With Plain Nut	M 14X1.5X40
G-2035A	Rotavator Bolt	With Nylock Nut	M 14X1.5X40
G-2035B	Rotavator Bolt	Without Nut	M 14X1.5X40
G-2036	Radios Rod Bolt Massey Big		M 16x140
G-2037	Radios Rod Bolt Mahindra (Set of 3 Pcs)		
G-2038	Bracket Pin Mahindra (I. Hard) Alloy Steel		22 x M65
G-2039	Brake Pin Mahindra Big		M40
G-2040	Draw Bar Bolt Swaraj (Full Thread)		M 14X1.5X35
G-2041	Knuckle Pin Small Mahindra		5/8 x M83

Genuine Quality Genuine Price



TRACTOR & TROLLEY SPARES

IN ALLOY STEEL

MISC BOLTS, TYNE BUSH SHOVEL BOLT (PHALA BOLT Graded Quality in GREEN ZINC)

S. No.	PARTICULARS	SIZE
G-2042	Knuckle Pin Big Mahindra	5/8 x M95
G-2042A	Knuckle Pin Mahindra DI	5/8x100
G-2043	Centre Pin Bolt Massey N/M Full Thread	5/8x2"
G-2044	Tiller Toggel Pin Massey (Black)	M40
G-2045	Tiller Toggel Screw	7/16x3/4"
G-2046	Tillre Spacer	M21
G-2047	Tiller Tyne Bush	6/8x3/4"
G-2048	Tiller Tyne Bush	6/8x1"
G-2049	Tiller Tyne Bush	M 18X20
G-2050	Tiller Tyne Bush	M 18X25
G-2051	SPINDLE ARM BOLT SWARAJ-ESCORT	With Plain Nut M 12X1.75X75
G-2056	Shovel Bolt (Phala Bolt)	With Plain Nut 3/8x1.1/2"
G-2057	Shovel Bolt (Phala Bolt)	With Plain Nut 3/8X2"
G-2058	Shovel Bolt (Phala Bolt)	With Plain Nut 3/8X2.1/2"
G-2059	Shovel Bolt (Phala Bolt)	With Plain Nut 3/8X3"
G-2059A	Shovel Bolt (Phala Bolt)	With Plain Nut 3/8X3.1/2"
G-2060	Shovel Bolt (Phala Bolt)	With Plain Nut 7/16X1.1/2"
G-2061	Shovel Bolt (Phala Bolt)	With Plain Nut 7/16X2"
G-2062	Shovel Bolt (Phala Bolt)	With Plain Nut 7/16x2.1/2"
G-2063	Shovel Bolt (Phala Bolt)	With Plain Nut 7/16x3"
G-2064	Shovel Bolt (Phala Bolt)	With Plain Nut 7/16x3.1/2"

B.S.F. BOLTS & U.N.C. BOLTS

G-2075	B.S.F. Bolt Full Thread	With Plain Nut	3/8X1"
G-2075A	B.S.F. Bolt Full Thread	With Nylock Nut	3/8X1"
G-2077	B.S.F. Bolt Full Thread	With Plain Nut	3/8X1.1/2"
G-2078	B.S.F. Bolt Half Thread	With Plain Nut	3/8X2"
G-2079	UNC Bolt Full Thread	Without Nut	3/8x1"
G-2080	UNC Bolt Full Thread	Without Nut	3/8x1.1/2"
G-2081	UNC Bolt Full Thread	Without Nut	1/2x1.1/4"
G-2082	UNC Bolt Full Thread	Without Nut	1/2x1.1/2"
G-2083	UNC Bolt Full Thread	Without Nut	1/2x2"
G-2084	UNC Bolt Full Thread	Without Nut	5/8x1.1/2"
G-2085	UNC Bolt Full Thread	Without Nut	5/8x2"
G-2086	UNC Bolt Full Thread	Without Nut	5/8x3"
G-2087	UNC Bolt Full Thread	Without Nut	6/8x1.1/2"
G-2088	UNC Bolt Full Thread	Without Nut	6/8x2"
G-2089	UNC Bolt Full Thread	Without Nut	7/8x1-1/2"
G-2090	UNC Bolt Full Thread	Without Nut	7/8x2"

A Symbol of Quality



S. No.	PARTICULARS	SIZE
G-2101	Accelator End TATA SE	
G-2102	Accelator End TATA 407 R/L	
G-2103	Accelator End Inter DI	
G-2104	Accelator End Massey DI	
G-2105	Ball Joint JCB	
G-2106	Steering Kit TATA SE	
G-2107	Banjo Bolt	M 14
G-2108	Banjo Bolt	M 16x35
G-2109	Banjo Bolt	M 18x35
G-2110	Crown Adjusting Bolt 1210 (Slotted)	
G-2111	Crown Adjusting Bolt SE (Castle)	
G-2112	Crown Adjusting Bolt 2416 (Slotted)	
G-2113	Banjo Bolt (Castle)	M 12
G-2120	Spindle Nut Mahindra Small (Castle)	7/8 UNF
G-2121	Spindle Nut Mahindra O/M Big (Slotted)	7/8 UNF
G-2122	Spindle Nut Mahindra N/M Big (Castle)	7/8 UNF
G-2123	Spindle Nut ARJUN (Castle)	24X2
G-2124	Spindle Nut MASSY O/M (Castle)	3/4 UNF
G-2125	Spindle Nut MASSY D.I N/M	3/4 UNF
G-2126	Spindle Nut EICHER O/M	24X1.5
G-2127	Spindle Nut EICHER N/M	24X1.5
G-2128	Spindle Nut SONALIKA (Castle)	20X1.0
G-2129	Spindle Nut SONALIKA N/M Square Head	22X1.5
G-2130	Spindle Nut FORD (Castle)	3/4 UNF
G-2131	Spindle Nut FORD 3620/Farm Track (Castle)	1" UNF
G-2132	Spindle Nut ESCORT (Castle)	20X1.5
G-2133	Spindle Nut SWARAJ N/M	20X1.5
G-2134	Spindle Nut SWARAJ FE/855 (Slotted)	20X1
G-2135	Spindle Nut SWARAJ DT-14 (Slotted)	
G-2136	Spindle Nut ZETOR 2011-3011 (Slotted)	24X1.5
G-2137	Spindle Nut ZETOR 5911 N/M	24X1.5
G-2138	Spindle Nut JCB	1" UNF

BOLT 10 MM (MS)

G-2140	MM Bolt (Full Thread)	Without Nut	M 10X1.5X20
G-2141	MM Bolt (Full Thread)	Without Nut	M 10X1.5X25
G-2142	MM Bolt (Full Thread)	Without Nut	M 10X1.5X30
G-2143	MM Bolt (Full Thread)	Without Nut	M 10X1.5X35
G-2144	MM Bolt (Full Thread)	Without Nut	M 10X1.5X40
G-2145	MM Bolt (Full Thread)	Without Nut	M 10X1.5X45
G-2146	MM Bolt (Full Thread)	Without Nut	M 10X1.5X50
G-2147	MM Bolt (Half Thread)	Without Nut	M 10X1.5X60
G-2148	MM Bolt (Half Thread)	Without Nut	M 10X1.5X65

A Symbol of Quality



GENERAL BOLTS

IN ALLOY STEEL

BOLT 10 MM, 12 MM, 14MM, 16MM (MS)

S. No.	PARTICULARS			SIZE
G-2149	MM Bolt	(Half Thread)	Without Nut	M 10X1.5X70
G-2150	MM Bolt	(Half Thread)	Without Nut	M 10X1.5X75
G-2151	MM Bolt	(Half Thread)	Without Nut	M 10X1.5X80
G-2152	MM Bolt	(Half Thread)	Without Nut	M 10X1.5X85
G-2153	MM Bolt	(Half Thread)	Without Nut	M 10X1.5X100
G-2154	MM Bolt	(Half Thread)	Without Nut	M 10X1.5X110
G-2155	MM Bolt	(Half Thread)	Without Nut	M 10X1.5X125
G-2161	MM Bolt	(Full Thread)	Without Nut	M 12X1.75X25
G-2162	MM Bolt	(Full Thread)	Without Nut	M 12X1.75X30
G-2163	MM Bolt	(Full Thread)	Without Nut	M 12X1.75X35
G-2164	MM Bolt	(Full Thread)	Without Nut	M 12X1.75X40
G-2165	MM Bolt	(Full Thread)	Without Nut	M 12X1.75X45
G-2166	MM Bolt	(Half Thread)	Without Nut	M 12X1.75X50
G-2166A	MM Bolt	(Half Thread)	Without Nut	M 12X1.75X60
G-2167	MM Bolt	(Half Thread)	Without Nut	M 12X1.75X65
G-2168	MM Bolt	(Half Thread)	Without Nut	M 12X1.75X75
G-2169	MM Bolt	(Half Thread)	Without Nut	M 12X1.75X100
G-2170	MM Bolt	(Half Thread)	Without Nut	M 12X1.75X125
G-2176	MM Bolt	(Full Thread)	Without Nut	M 14X2.0X25
G-2177	MM Bolt	(Full Thread)	Without Nut	M 14X2.0X30
G-2178	MM Bolt	(Full Thread)	Without Nut	M 14X2.0X35
G-2179	MM Bolt	(Full Thread)	Without Nut	M X14X1.5X35
G-2180	MM Bolt	(Full Thread)	Without Nut	M 14X2.0X40
G-2182	MM Bolt	(Full Thread)	Without Nut	M 14X2.0X50
G-2183	MM Bolt	(Full Thread)	Without Nut	M 14X2.0X60
G-2190	MM Bolt	(Full Thread)	Without Nut	M 16X2.0X30
G-2191	MM Bolt	(Full Thread)	Without Nut	M 16X2.0X35
G-2191A	MM Bolt	(Full Thread)	Without Nut	M 16X2.0X40
G-2192	MM Bolt	(Half Thread)	Without Nut	M 16X2.0X50
G-2193	MM Bolt	(Half Thread)	Without Nut	M 16X2.0X60
G-2194	MM Bolt	(Half Thread)	Without Nut	M 16X2.0X65
G-2194A	MM Bolt	(Full Thread)	Without Nut	M 16X2.0X70
G-2195	MM Bolt	(Half Thread)	Without Nut	M 16X2.0X75

HUB NUT FOR TRACTOR & TROLLEY

G-2211	Hub Nut Mahindra(Front) Tapper	1/2 U.N.F.
G-2212	Hub Nut Mahindra (Rear) Tapper	5/8 U.N.F.
G-2213	Hub Nut Mahindra (Rear) Coller Type	5/8 U.N.F.
G-2214	Hub Nut Massey (Rear) Tapper	9/16 U.N.F.
G-2215	Hub Nut Massey (Rear) Coller Type	9/16 U.N.F.
G-2216	Hub Nut Ford (Front) Tapper	1/2 U.N.F.
G-2217	Hub Nut Ford (Rear) Tapper	5/8 U.N.F.

Committed To Quality



SPARES NUTS

Page 25

AS PER ISI SPECIFICATION

HUB NUTS, PLAIN NUTS

S. No.	PARTICULARS	SIZE
G-2218	Hub Nut Eicher (Front) Tapper	14X1.5
G-2219	Hub Nut Eicher (Rear) Tapper	16X1.5
G-2220	Hub Nut Zetor (2511/3511) F/R Coller	14X1.5
G-2221	Hub Nut Zetor (5911) Rear Kekra	22X1.5
G-2222	Hub Nut Sonalika (Rear) Plain	16X1.5
G-2223	Hub Nut Swaraj (F/R) Plain	16X1.5
G-2224	Hub Nut Escort (Front) Plain	14X1.5
G-2225	Hub Nut Escort (Rear) Plain	20X1.5
G-2231	TROLLEY Nut (Plain) (30)	5/8 U.N.F.
G-2232	TROLLEY Nut (Kekra) (33)	5/8 U.N.F.
G-2233	TROLLEY Nut (Coller Type)	20X2.5
G-2234	TROLLEY Nut (Tapper)	20X2.5
G-2235	TROLLEY Nut (Kekra)	20X2.5
G-2236	TROLLEY Nut (Tapper)	7/8 B.S.F.
G-2237	TROLLEY Nut (Kekra)	7/8 B.S.F.
G-2238	HUB Nut JEEP	1/2 (U.N.F)
G-2239	HUB Nut COMMANDER	1/2 (U.N.F)
G-2240	HUB Nut MARSHAL	M 14X1.5
G-2240A	HUB Nut MINIDOR	M 10X1.5
G-2240B	HUB Nut TATA ACE	M 12x1.5
G-2241	Plain Nut	3/8 (U.N.F)
G-2243	Plain Nut	3/8 (B.S.F.)
G-2244	Plain Nut	M 6
G-2245	Plain Nut	M 8
G-2246	Plain Nut	M 10X1.0
G-2247	Plain Nut	M 10X1.5
G-2249	Plain Nut	7/16 (B.S.F.)
G-2250	Plain Nut	M 12X1.5
G-2251	Plain Nut	M 12X1.75
G-2252	Plain Nut	1/2 (B.S.F.)
G-2252A	Cyl. Head Stud Nut (Leyland)	1/2 (B.S.F.)
G-2253	Plain Nut	1/2 (U.N.F.)
G-2253A	Plain Nut	1/2 (U.N.C.)
G-2254	Plain Nut	M 14X1.5
G-2255	Plain Nut	M 14X2.0
G-2256	Plain Nut (1000 Size)	5/8 (B.S.F)
G-2257	Plain Nut (1000 Size)	5/8 (U.N.F.)
G-2259	Plain Nut (1000 Size)	5/8 (U.N.C.)
G-2260	Plain Nut (1000 Size)	5/8 (B.S.W)
G-2261	Plain Nut	M 16X1.5
G-2262	Plain Nut	M 16X2.0
G-2263	Plain Nut	7/8 (U.N.C)
G-2264	Plain Nut	M 18X2.5
G-2265	Plain Nut For Stud	M 20X1.5

Believe in Excellence



SPARES NUTS

AS PER ISI SPECIFICATION

PLAIN NUT & NYLOCK NUT, CASTLE NUT, CENTER BOLT NUT

S. No.	PARTICULARS	SIZE
G-2266	Plain Nut For Tyne Bolt	6/8 (U.N.F)
G-2267	Plain Nut	6/8 (U.N.C)
G-2268	Plain Nut	6/8 (B.S.W.)
G-2269	Nylock Nut	5/16 (B.S.F.)
G-2270	Nylock Nut	3/8 (B.S.F.)
G-2271	Nylock Nut	3/8 (U.N.F)
G-2272	Nylock Nut	M 8X1.25
G-2273	Nylock Nut	M 10X1.0
G-2274	Nylock Nut	M 10X1.5
G-2275	Nylock Nut	7/16 (U.N.F.)
G-2276	Nylock Nut	7/16 (B.S.F.)
G-2277	Nylock Nut	M 12X1.5
G-2277A	Nylock Nut	M 12X1.75
G-2278	Nylock Nut (Long)	1/2 (B.S.F.)
G-2279	Nylock Nut	1/2 (U.N.F.)
G-2280	Nylock Nut	M 14X1.5
G-2281	Nylock Nut (1000 Size)	5/8 (B.S.F)
G-2282	Nylock Nut (1000 Size)	5/8 (U.N.C)
G-2284	Nylock Nut	M 16X1.5
G-2284A	Nulock Nut	M16x2.0
G-2285	Nylock Nut	M 18X1.5
G-2286	Nylock Nut For Eye Bolt Leyland	6/8 (B.S.F.)
G-2287	Nylock Nut For Tyne Bolt	6/8 U.N.F.
G-2287A	Nylock Nut	6/8 B.S.W.
G-2288	Castle Nut	12X1.5
G-2289	Castle Nut Small	M 12X1.5
G-2290	Castle Nut	M 14X1.5
G-2291	Castle Nut	M 16X1.5
G-2292	Castle Nut (for Tie Rod Ball)	M 18X1.5
G-2293	Slotted Nut	1/2 (B.S.F.)
G-2294	Castle Nut	1/2 (B.S.F.)
G-2295	Tapper Nut (Commander) (For Stud)	3/8 (U.N.F)
G-2300	Center Bolt Nut (Jeep)	5/16 (U.N.F.)
G-2301	Center Bolt Nut (F.C)	3/8 (U.N.F)
G-2302	Center Bolt Nut (F.C)	3/8 (B.S.W.)
G-2303	Center Bolt Nut 407	M 10 X1.5
G-2304	Center Bolt Nut TATA	M 12X1.75
G-2305	Center Bolt Nut Eicher Jumbo	M 14X1.5
G-2306	Center Bolt Nut (2416)	M 16X2.0
G-2307	Castle Nut	M 20X1.5
G-2307	SLOTTED Nut	M 16X1.5

A Healthy Choice

Committed For Quality & Customer Satisfaction

SINCE 1981



REPLACEMENT SPARES IN ALLOY STEEL

WIDE RANGE OF

**BOLTS • STUDS • SPRING PINS • BUSH • WASHERS
WHEEL BOLTS • CENTRE BOLTS • WHEEL SPANNER
PINION NUTS • AXLE CHECK NUTS • SPARE NUTS**

As Per OE Specifications



MANUFACTURERS & EXPORTERS

GREAT INDIA MACHINE TOOLS

(An ISO 9001:2008 Certified Co.)

#2090, St. No. 10, (GURUDWARA STREET)
ABDULLAPUR BASTI, LUDHIANA-141003 (PB.) INDIA

Phone : +91-161-2425215, 2423390

E-mail : info@gmtspares.com www.gmtspares.com